

L Number	Hits	Search Text	DB	Time stamp
1	5	((nitrogen or nitrid\$5) with (gate adj oxide)) same ("no" or (nitric adj oxide)) and (oxid\$5 or reoxid\$5) and ((measur\$3 or calculat\$3) with thick\$4) same (nitrid\$5 with gate with oxide))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/09 14:51
2	3	((nitrogen or nitrid\$5) with (gate adj oxide)) same ("no" or (nitric adj oxide)) and (oxid\$5 or reoxid\$5) and ((measur\$3 or calculat\$3) with thick\$4) same (nitrid\$5 with gate with oxide)) and (@ad<20011012 or @rlad<20011012)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/09 14:54
3	25	(nitrid\$5 with (gate adj oxide)) and ("no".u/c. or (nitric adj oxide)) and (reoxid\$5 or ono) and ((measur\$3 or calculat\$3) with thick\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/09 17:04
4	17	((nitrid\$5 with (gate adj oxide)) and ("no".u/c. or (nitric adj oxide)) and (reoxid\$5 or ono) and ((measur\$3 or calculat\$3) with thick\$4)) and (@ad<20011012 or @rlad<20011012)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/09 17:06
5	1992	("no".u/c. or (nitric adj oxide)) and ((measur\$3 or calculat\$3) with thick\$4 with oxide)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/09 17:05
6	13	("no".u/c. or (nitric adj oxide)) and ((measur\$3 or calculat\$3) with thick\$4 with nitrid\$5 with gate with oxide)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/09 17:06
7	11	((("no".u/c. or (nitric adj oxide)) and ((measur\$3 or calculat\$3) with thick\$4 with nitrid\$5 with gate with oxide)) and (@ad<20011012 or @rlad<20011012)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/09 17:06
-	0	oxidation with nitrided with gate with oxide with measur\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/09 14:31
-	1	(oxidation with nitrided with gate with oxide) and (measur\$3 with thickness)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/13 20:33
-	35	oxidation with nitrided with gate with oxide	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/13 20:33
-	8	(oxidation with nitrided with gate with oxide) and measur\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/13 20:36
-	0	(measur\$3 with thickness with oxide) and (nitrided with gate with oxide)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/13 20:37
-	13	(measur\$3 with thickness with oxide) and (nitrided with gate with oxide)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/14 11:35
-	6	ono and oxidiz\$3 and gate and oxide and nitrided and measur\$3 and thickness and ((predetermined or preset) with value)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/13 20:48
-	38	measur\$3 with thickness with ono	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/14 12:07
-	2	measur\$3 with thickness with nitrided with oxide	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/14 14:20

-	21	measur\$3 with thickness with nitrided	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/14 14:18
-	2	increas\$3 with thickness with reoxidized	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/14 14:19
-	418	nitrided with gate with oxide	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/14 14:21
-	14	(nitrided with gate with oxide) and measur\$3 and thickness and reoxidation	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/14 14:26
-	0	correlation same (oxide adj thickness) same (nitrogen adj concentration)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/14 14:28
-	5	correlation same oxide same thickness same nitrogen same concentration	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/14 15:16
-	9	correlation same oxide same thickness same nitrogen	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/14 15:23
-	365	measur\$3 same oxide same thickness same (nitrogen or nitrided)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/17 19:35
-	112	(measur\$3 same oxide same thickness same (nitrogen or nitrided)) and 438/\$3.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/14 15:26
-	102	((measur\$3 same oxide same thickness same (nitrogen or nitrided)) and 438/\$3.ccls.) and @ad<20011012	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/14 15:30
-	3	((measur\$3 same oxide same thickness same (nitrogen or nitrided)) and 438/\$3.ccls.) and @ad<20011012) and reoxidized	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/14 15:30
-	3	oxide same growth with rate with nitrogen with content	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/16 13:43
-	97	(oxide or oxidation or oxidized) same growth with rate with nitrogen	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/16 13:48
-	9	((oxide or oxidation or oxidized) same growth with rate with nitrogen) and measur\$3 with thickness	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/16 14:10
-	68	(relation or correlation) same thickness same oxide same nitrogen	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/16 14:57
-	21	((relation or correlation) same thickness same oxide same nitrogen) and measur\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/16 14:58
-	18	((relation or correlation) same thickness same oxide same nitrogen) and measur\$3) and @ad<20011012	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/16 14:58
-	299	determin\$5 same thickness same oxide same nitrogen	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/16 14:59

-	144	(determin\$5 same thickness same oxide same nitrogen) and measur\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/16 15:00
-	131	((determin\$5 same thickness same oxide same nitrogen) and measur\$3) and @ad<20011012	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/16 14:58
-	33	determin\$5 with thickness with oxide with nitrogen	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/17 10:49
-	17	(determin\$5 with thickness with oxide with nitrogen) and measur\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/16 15:07
-	17	change with thickness with (oxide or oxidation or oxidized) with nitrogen	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/17 11:10
-	62	measur\$3 and thickness and (oxide or oxidation or oxidized) and nitrogen and (reoxidation or reoxidized) and (oxynitride or ono)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/17 12:51
-	56	(measur\$3 and thickness and (oxide or oxidation or oxidized) and nitrogen and (reoxidation or reoxidized) and (oxynitride or ono)) and @ad<20011012	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/17 13:01
-	30	((measur\$3 and thickness and (oxide or oxidation or oxidized) and nitrogen and (reoxidation or reoxidized) and (oxynitride or ono)) and @ad<20011012)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/17 13:06
-	17	and (nitrogen same oxide same thickness) ((measur\$3 and thickness and (oxide or oxidation or oxidized) and nitrogen and (reoxidation or reoxidized) and (oxynitride or ono)) and @ad<20011012)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/17 14:02
-	14	and (nitrogen same oxide same thickness same (measur\$3 or determin\$5)) thickness same nitrided same before same after same (oxide or oxidation)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/17 19:22
-	2213	(implant\$5 or dop\$3) with boron with gate with electrode	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/17 19:34
-	1111	((implant\$5 or dop\$3) with boron with gate with electrode) and 438/\$3.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/17 19:35
-	12	(measur\$3 same oxide same thickness same (nitrogen or nitrided)) and (((implant\$5 or dop\$3) with boron with gate with electrode) and 438/\$3.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/17 19:36
-	15643	oxid\$5 with nitr\$4 with gate with oxide	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/03 12:07
-	2903	(oxid\$5 with nitr\$4 with gate with oxide) with (thick\$4 or measur\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/03 15:48
-	0	jp-2000311928-\$.did	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/03 15:11
-	0	jp-200311928-\$.did	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/03 14:03

-	0	jp-20000311928-\$.did	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/03 14:04
-	0	jp-20311928-\$.did	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/03 14:05
-	0	jp-00311928-\$.did	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/03 15:04
-	2	5972804.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/03 15:05
-	0	us-2003042432-\$.did	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/03 15:11
-	0	us-20003042432-\$.did	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/03 15:11
-	0	us-203042432-\$.did	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/03 15:15
-	1	059714.apn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/03 15:20
-	1	6639228.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/03 15:29
-	6	("5939763"   "6060374"   "6110784"   "6245689"   "6423601"   "6475887").PN.	USPAT	2003/11/03 15:21
-	4	("5223443"   "5604350"   "5880013"   "5904552").PN.	USPAT	2003/11/03 15:25
-	2	5254489.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/03 15:29
-	168	((oxid\$5 with nitr\$4 with gate with oxide) with (thick\$4 or measur\$4)) same boron	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/03 15:49
-	101	((((oxid\$5 with nitr\$4 with gate with oxide) with (thick\$4 or measur\$4)) same boron) and 438/\$3.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/03 15:50
-	82	(((((oxid\$5 with nitr\$4 with gate with oxide) with (thick\$4 or measur\$4)) same boron) and 438/\$3.ccls.) and @ad<20011012	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/03 15:54
-	4	(((((oxid\$5 with nitr\$4 with gate with oxide) with (thick\$4 or measur\$4)) same boron) and 438/\$3.ccls.) and @ad<20011012) and reoxidation	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/03 15:55